





#### **Product Description**

#### General

The RFO-OPT70 is a high quality GPS tracker with superior location, tracking, reporting, logging and security capabilities. Utilizing the GSM and GPRS communication network along with GPS technology, it is an ideal solution for bigger size animals (dogs, sheeps, goats or any other animals).

The 4.000 mAh battery allows to track (on 10 minutes interval) the animal savely. It is IP 68 waterproof and comes with a speaker and LED to find the animal easily. While having activated the SIM card you can immediately connect to the web portal or via mobile APP and start to track your animal while receiving position data.

#### Geofence

By setting one or several specific areas (home, company or others) the device will deliver the information to the web portal which will then send an alarm to your APP or system. In consequence you are always informed about the actual situation of your animal.

#### Voice monitor

This function is mainly used for remote voice monitoring. It allows to communicate.

#### **History Management**

The RFO-APT70 provides historic route data of the vehicle. This can be seen either in the APP or on the web portal. As a standard this data is stored for 180 days.

#### **Additional functions**

Big battery: Allows up to 7 days working without recharging.

Magnetic charge plug: Easy to plug and charge the battery.

Sound and light: Allows to find animal fast and easy.

Electronic fence: You can monitor any time the animal moving out of the area you have defined.

Waterproof IP 68: The device can be used even in the most unconveniant environment without any problem.

Article no.:		RFO-APT70	
Typical Applications			
• Dogs	Goats		
Sheeps	Any mid size Animal		







Technical Specifications	RFO-APT70	
System		
	Cold start 32 sec	
GPS launch time	Warm start 20 sec	
	Hot start 1 sec	
Positioning type	GPS + LBS	
Backup battery	Rechargeable 3,7 VDC 4.000 mAh Li-Ion polymer battery	
Working time	Tracking every 1 hour/around 7 days	
Temperature control	-35 degrees to +70 degrees	
Humidity	5 % - 95 % non condensing	
Network interface	2 G GSM/GPRS	
Group	2 G GSM: 850/900/1.800/1.900 Mhz	
GPS channels	64	
GPS accuracy	5 - 10 m	
Special functions	4.000 mAh Li-Ion battery, real time tracking, voice recording, electronic fence	
Dimensions	89(W) x 43(H) x 45(H)mm	
Weight	232 g	
T 45mm L	Reset button	
	Magnetic charging port Power button	



Worldwide

# **OPERATION BANDS**

2G GSM 850/900/1800/1900MHz

### **POSITION ACCURACY**

GPS Accuracy<5m

## **CERTIFICATES**

CE RoHS







Applications	RFO-APT70
Dogs	
Sheeps	
Goats	
Any mid size Animal	a. m. m.









#### Functions at a glance

Article no.:





Tracker

RFO-APT70